

	according t	o regulation	(EU) No	. 2015/830
--	-------------	--------------	---------	------------

	picovest universal NF Page 1 c
1. Identification of the substance/	/preparation and of the company/undertaking *
1.1. Information on the product Trade name:	picovest universal NF
1.2. Relevant identified uses of the	
substance/preparation and uses that are inadvisable	Manufacture of dental prosthesis
1.3. Details about the supplier of the safe	ety data sheet
Manufacturer/Supplier:	
Company name:	picodent Dental Produktions- und Vertriebs-GmbH
Street:	Lüdenscheider Str. 24-26
City:	D-51688 Wipperfürth +49 2267 6580-0
Telephone: E-Mail:	picodent@picodent.de
Internet:	www.picodent.de
Department for information:	picodent Dental Produktions- und Vertriebs-GmbH
	Telephone-No. +49 2267 6580-0
1.4. Emergency contact number:	
Medical Emergency information in case	-24 h – Phone: +49 6131 19240
of poisoning:	advisory service in German or English language
Poison Information Center Mainz	
2. Hazards identification *	
2.1. Classification of the substance or m	ixture
Classification according to Regulation (E	C) No. 1272/2008 [CLP] Causes damage to organs through prolonged or
Classification according to Regulation (E STOT RE 1 H372	C) No. 1272/2008 [CLP]
2.2. Label elements Labelling according to Regulation (EC) N	C) No. 1272/2008 [CLP] Causes damage to organs through prolonged or repeated exposure.
Classification according to Regulation (E         STOT RE 1       H372         2.2. Label elements	C) No. 1272/2008 [CLP] Causes damage to organs through prolonged or repeated exposure.
Classification according to Regulation (E         STOT RE 1       H372         2.2. Label elements         Labelling according to Regulation (EC) N	<ul> <li>C) No. 1272/2008 [CLP]         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> <li>Io. 1272/2008 [CLP]:         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> </ul>
Classification according to Regulation (E         STOT RE 1       H372         2.2. Label elements         Labelling according to Regulation (EC) Notes	<ul> <li>C) No. 1272/2008 [CLP]         Causes damage to organs through prolonged or repeated exposure.</li> <li>Io. 1272/2008 [CLP]:</li> </ul>
Classification according to Regulation (ESTOT RE 1H3722.2. Label elementsLabelling according to Regulation (EC) NHazard pictograms	<ul> <li>C) No. 1272/2008 [CLP]         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> <li>Io. 1272/2008 [CLP]:         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> </ul>
Classification according to Regulation (E STOT RE 1 H372 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms	<ul> <li>ic) No. 1272/2008 [CLP] Causes damage to organs through prolonged or repeated exposure.</li> <li>io. 1272/2008 [CLP]:</li> <li>io. GHS08 Danger</li> </ul>
Classification according to Regulation (E STOT RE 1 H372 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms Signal word Hazard-determining components of label	<ul> <li>ic) No. 1272/2008 [CLP] Causes damage to organs through prolonged or repeated exposure.</li> <li>io. 1272/2008 [CLP]:</li> <li>io. GHS08 Danger</li> </ul>
Classification according to Regulation (E STOT RE 1 H372 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms Signal word Hazard-determining components of label Hazard statements	<ul> <li>ic) No. 1272/2008 [CLP]         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> <li>io. 1272/2008 [CLP]:         <ul> <li>GHS08 Danger</li> </ul> </li> <li>illing: Quartz, Cristobalite</li> </ul>
Classification according to Regulation (E STOT RE 1 H372 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms Signal word Hazard-determining components of label Hazard statements H372	<ul> <li>ic) No. 1272/2008 [CLP]         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> <li>io. 1272/2008 [CLP]:         <ul> <li>GHS08 Danger</li> </ul> </li> <li>illing: Quartz, Cristobalite</li> </ul>
Classification according to Regulation (E STOT RE 1 H372 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms Signal word Hazard-determining components of label Hazard statements H372 Precautionary statements	EC) No. 1272/2008 [CLP]         Causes damage to organs through prolonged or repeated exposure.         Io. 1272/2008 [CLP]:         GHS08         Danger         Illing:       Quartz, Cristobalite         Causes damage to organs through prolonged or repeated exposure
Classification according to Regulation (E         STOT RE 1       H372         2.2. Label elements         Labelling according to Regulation (EC) Notes	<ul> <li>ic) No. 1272/2008 [CLP]         <ul> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul> </li> <li>io. 1272/2008 [CLP]:         <ul> <li>GHS08 Danger</li> </ul> </li> <li>illing: Quartz, Cristobalite</li> </ul>

Revisions-No.: 1.1





Revision: 08/13/2022



Telefon: 0 22 67 - 65 80-0 • www.picodent.de

GB



according to regulation (EU) No. 1907/2006

2.3. Other hazards Results of PBT and vPvB as			
PBT:		at applicable	
vPvB:		ot applicable. ot applicable.	
VPVD.	IN IN	or applicable.	
3. Composition/information	ation on ingredients	S *	
3.2. Substances	Ν	ot applicable	
Mixtures			
Dangerous components:			
CAS: 14808-60-7	Quartz (SiO2)	25-50%	
EINECS: 238-878-4	STOT RE 1, H372		
CAS: 14464-46-1	Cristobalite	25-50%	
EINECS: 238-455-4	STOT RE 1, H372		
CAS: 1309-48-4	Magnesium oxide	5 - 10 %	
EINECS: 215-171-9		occupational exposure limit	
Full text of H-statements: see	section 16		
4. First aid measures *			
4.1. Description of first aid First-aid measures general:		lever give anything by mouth to an uncor	
First-alu measures general.		unconscious, place in the recovery positi	
		dvice.	tion and seek medica
First-aid measures after inh		llow breathing of fresh air. If breathing sto	ons give artificial
		espiration. Get medical advice/attention i	
First-aid measures after ski			
		ake off contaminated clothing and wash i	
		ake off contaminated clothing and wash /ash with plenty of soap and water.	
First-aid measures after eye	contact:	/ash with plenty of soap and water. FIN EYES: Rinse cautiously with water fo	it before reuse. or several minutes.
-	e contact: IF F	/ash with plenty of soap and water. FIN EYES: Rinse cautiously with water for emove contact lenses, if present and east	it before reuse. or several minutes. sy to do. Continue rin
First-aid measures after eye First-aid measures after ing	e contact: IF F estion: F	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for remove contact lenses, if present and easily inse mouth. Drink plenty of water as a pr	it before reuse. or several minutes. sy to do. Continue rin recaution.
First-aid measures after ing	e contact: IF F estion: F	/ash with plenty of soap and water. FIN EYES: Rinse cautiously with water for emove contact lenses, if present and east	it before reuse. or several minutes. sy to do. Continue rin recaution.
-	e contact: IF F estion: F Oms and effects,	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for remove contact lenses, if present and easily inse mouth. Drink plenty of water as a pr	it before reuse. or several minutes. sy to do. Continue rin recaution. owell.
First-aid measures after ing 4.2. Most important sympto both acute and delayed:	e contact: IF estion: F oms and effects,	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for emove contact lenses, if present and east inse mouth. Drink plenty of water as a pr set medical advice/attention if you feel un	it before reuse. or several minutes. sy to do. Continue rin recaution. owell.
First-aid measures after ing 4.2. Most important sympto	e contact: IF estion: F oms and effects, diate medical attention	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for emove contact lenses, if present and east inse mouth. Drink plenty of water as a pr set medical advice/attention if you feel un	it before reuse. or several minutes. sy to do. Continue rin recaution. owell.
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed	e contact: IF estion: F oms and effects, diate medical attention ed: T	Vash with plenty of soap and water. FIN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolong	it before reuse. or several minutes. sy to do. Continue rin recaution. owell.
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede 5. Fire-fighting measure	e contact: IF estion: F oms and effects, diate medical attention ed: T	Vash with plenty of soap and water. FIN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolong	it before reuse. or several minutes. sy to do. Continue rin recaution. owell.
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede <b>5. Fire-fighting measur</b> 5.1. Extinguishing media:	e contact: II estion: F oms and effects, diate medical attention ed: T es *	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolone reat symptomatically.	it before reuse. or several minutes. sy to do. Continue rin recaution. well. ged or repeated expo
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede 5. Fire-fighting measure	e contact: IF estion: F oms and effects, diate medical attention ed: T es *	Vash with plenty of soap and water. FIN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolong	it before reuse. or several minutes. sy to do. Continue rin ecaution. well. ged or repeated expo -friendly. Fire-extingu
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede <b>5. Fire-fighting measur</b> 5.1. Extinguishing media:	e contact: IF estion: F oms and effects, diate medical attention ed: T es * a: M	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolone reat symptomatically. Making extinguishing agents environment	it before reuse. or several minutes. sy to do. Continue rin ecaution. well. ged or repeated expo -friendly. Fire-extingu
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede 5. Fire-fighting measur 5.1. Extinguishing media: Suitable extinguishing media Unsuitable extinguishing media	e contact: IF estion: F oms and effects, diate medical attention ed: T es * a: M p edia: D	Vash with plenty of soap and water. FIN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un trauses damage to organs through prolony reat symptomatically. Making extinguishing agents environment- owder. Carbon dioxide. Water spray. For to not use a heavy water stream.	it before reuse. or several minutes. sy to do. Continue rin ecaution. well. ged or repeated expo -friendly. Fire-extingu
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede 5. Fire-fighting measur 5.1. Extinguishing media: Suitable extinguishing media	e contact: IF estion: F oms and effects, diate medical attention ed: T es * a: M p edia: D	Vash with plenty of soap and water. F IN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un causes damage to organs through prolone reat symptomatically. flaking extinguishing agents environment- owder. Carbon dioxide. Water spray. For	it before reuse. or several minutes. sy to do. Continue rin ecaution. well. ged or repeated expo -friendly. Fire-extingu
First-aid measures after ing 4.2. Most important sympto both acute and delayed: 4.3. Indication of any immed and special treatment neede 5. Fire-fighting measur 5.1. Extinguishing media: Suitable extinguishing media Unsuitable extinguishing media	e contact: IF estion: F oms and effects, diate medical attention ed: T es * a: M p edia: D	Vash with plenty of soap and water. FIN EYES: Rinse cautiously with water for temove contact lenses, if present and easy inse mouth. Drink plenty of water as a pri- tet medical advice/attention if you feel un trauses damage to organs through prolony reat symptomatically. Making extinguishing agents environment- owder. Carbon dioxide. Water spray. For to not use a heavy water stream.	it before reuse. or several minutes. sy to do. Continue rin ecaution. well. ged or repeated expo -friendly. Fire-extingu







() innovation

Telefon: 0 22 67 - 65 80-0 • www.picodent.de



according to regulation (EU) No. 1907/2006

с .	icovest universal NF	Page 3
5.3. Advice for firefighters: Firefighting instructions	Use water spray or fog for cooling expos Prevent fire-fighting water from entering	
Protection during firefighting:	Do not enter fire area without proper profincluding respiratory protection.	tective equipment,
6. Accidental release measures *		
6.1. Personal precautions, protective equipmen and emergency procedures:	t Avoid dust formation. Use personal prote Evacuate unnecessary personnel.	ective equipment as requir
6.2. Environmental precautions:	Prevent entry to sewers and public water product enters sewers or public waters.	rs. Notify authorities if
6.3. Methods and material for containment and cleaning up:	Take up mechanically (sweeping, shoveli container for disposal.	ng) and collect in suitable
6.4. Reference to other sections:	Refer to protective measures listed in sec disposal elimination after cleaning, see s	
7. Handling and storage *		
7.1. Precautions for safe handling: Additional hazards when processed:	Ensure good ventilation of the work stati not inhale dust. Exhaust air should only b suitable separators.	
Hygiene measures:	Handle in accordance with good industri procedures. When using do not eat, drinl other exposed areas with mild soap and or smoking and when leaving work. Cont should not be allowed out of the workpla	k or smoke. Wash hands a water before eating, drink taminated work clothing
7.2. Conditions for safe storage, including any i Storage conditions:	ncompatibilities: Store tightly closed in a dry and cool place	ce.
7.3. Specific end use(s):	Manufacture of dental prosthesis	
8. Exposure controls/personal protection	on *	
8.1. Control parameters		
Components with critical values that require mo	onitoring at the workplace:	
14808-60-7 Silica (respirable crystalline) WEL (Long-term value)	0.1 mg/m³	
1309-48-4 Magnesium oxide (as Mg) WEL (Long-term value)	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> fume and respirable dust	
No.: 1.1	GB	Revision: 08/13/2
ıalität 💋 verantwortur	g 🗘 sicherheit	() innovatio





Telefon: 0 22 67 - 65 80-0 • www.picodent.de



according to regulation (EU) No. 1907/2006

Printing date: 05/15/2024	picovest universal NF	Page 4 of 7
8.2. Exposure controls Appropriate engineering controls:	Use adequate ventilation to keep concentrations below a standard.	pplicable
Personal protective equipment:		
Hand protection:	Wear suitable gloves. Nitrile rubber. Latex. The exact breat time has to be found out by the manufacturer of the protection and has to be observed.	0
Eye protection:	Chemical goggles or safety glasses.	
Respiratory protection:	In case of dust formation, use adequate ventilation. Wear respiratory equipment in case of insufficient ventilation: B apparatus with filter P1. Recommended filter for short-ter (FFP 2 EN 149:2001) / P3 (FFP 3 EN 149:2001).	reathing
Skin and body protection:	Wear suitable protective clothing.	

### 9. Physical and chemical properties \*

Appearance:	Powder
Physical state:	Solid
Colour:	White
Odour:	Odourless.
Odour threshold:	No data available.
pH:	No data available.
Melting point/Freezing point:	No data available.
Boiling point	No data available.
Flash point:	Not applicable.
Relative evaporation rate (butylacetate=1):	No data available.
Flammability (solid, gas):	No data available.
Explosive limits:	No data available.
Vapour pressure:	No data available.
Relative vapour density at 20 °C:	No data available.
Relative density:	No data available.
Solubility:	No data available.
Log Pow:	No data available.
Auto-ignition temperature:	The product is not self-igniting.
Decomposition temperature:	No data available.
Viscosity:	Not applicable.
Explosive properties:	Product is not explosive.
Oxidising properties:	No.
9.2. Other information:	No additional information available.

### 10. Stability and reactivity \*

10.1. Reactivity:

10.2. Chemical stability:

No dangerous reactions known under normal conditions of use.

Stable under use and storage conditions as recommended in section 7. No decomposition if stored and applied as directed.

() sicherheit

Revisions-No.: 1.1

🗘 qualität

() verantwortung

Revision: 08/13/2022

() innovation





### according to regulation (EU) No. 1907/2006

-	
Printing date: 05/15/2024	picovest universal NF Page 5 of
10.3. Possibility of hazardous reactions:	None under normal use.
10.4. Conditions to avoid:	No information available.
10.5. Incompatible materials:	No information available.
10.6. Hazardous decomposition products:	No hazardous decomposition products known.
11. Toxicological information *	
11.1. Information on toxicological effects Acute toxicity:	Not classified
Skin corrosion/irritation:	Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation:	Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity:	Not classified Based on available data, the classification criteria are not met
Carcinogenicity:	Not classified Based on available data, the classification criteria are not met
Reproductive toxicity:	Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure):	Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure):	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard:	Not classified Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms:	Based on available data, the classification criteria are not met
12. Ecological information *	
12.1. Toxicity: Aquatic toxicity:	No further relevant information available.
12.2. Persistence and degradability:	No information available.
12.3. Bioaccumulative potential:	No information available.

Revisions-No.: 1.1

**O**qualität

() verantwortung

() sicherheit

Revision: 08/13/2022

() innovation

Telefon: 0 22 67 - 65 80-0 • www.picodent.de

GB



according to regulation (EU) No. 1907/2006

Printing date: 05/15/2024	picovest universal NF	Page 6 of 7
12.4. Mobility in soil:	No information available.	
12.5. Results of PBT and vPvB assessment: PBT: vPvB:	Not applicable. Not applicable.	
12.6. Other adverse effects:	No further relevant information available.	
13. Disposal considerations *		
13.1. Waste treatment methods Regional legislation (waste):	Dispose in a safe manner in accordance with local/natio regulations. Do not empty into drains. Do not dispose of domestic waste.	
not arising from immediate health	, treatment or prevention of disease in humans	nt wastes
Waste code:	The waste code number according to the Ordinance on Waste Catalogue (AVV) depends on the waste producer therefore vary for any given product. The waste code nu therefore to be gleaned separately from each waste prod	and can mber is
14. Transport information *		
14.1. UN number: ADR, IMDG, IATA:	Not regulated for transport	
14.2. UN proper shipping name ADR, IMDG, IATA:	Not applicable	
14.3. Transport hazard class(es) ADR, IMDG, IATA:	Not applicable	
14.4. Packing group: ADR, IMDG, IATA:	Not applicable	
14.5. Environmental hazards: Marine pollutant: Other information:	No No No supplementary information available	
14.6. Special precautions for user:	Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code:	Not applicable.	

Revisions-No.: 1.1

C) qualität

GB

() verantwortung

Revision: 08/13/2022

Telefon: 0 22 67 - 65 80-0 • www.picodent.de

() sicherheit



according to regulation (EU) No. 1907/2006

Printing date: 05/15/2024	picovest universal NF	Page 7 of 7
15. Regulatory information *		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixtureEU-Regulations:This mixture is classified as not hazardous according to regulation (EC) 1272/2008.		
National regulations:	No additional information available	
15.2. Chemical safety assessment:	A chemical safety assessment has not been carried out.	
16. Other information *		

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

#### **Relevant phrases**

H372

Causes damage to organs through prolonged or repeated exposure.

#### Abbreviations and acronyms:

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
GHS:	Globally Harmonised System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
DNEL:	Derived No-Effect Level (REACH)
PNEC:	Predicted No-Effect Concentration (REACH)
STOT RE 1:	Specific target organ toxicity - repeated exposure, category 1

\* Data compared to the previous version Rev.-No. 1.0 altered.

**()** verantwortung



() sicherheit



Revision: 08/13/2022